

VISOCOLOR HE Nitriti, 150Test (CM0920063) MACHEREY-NAGEL



Nitriti

- Intervallo: 0.005 - 0.10 mg/l NO₂-
- Numero analisi: 150

Gli ioni nitrito sono presenti nelle acque superficiali generalmente in concentrazioni molto basse.

La loro presenza nelle acque di falda è piuttosto rara.

Più facile è ritrovarli in acque di scarico, frequentemente con concentrazioni rilevanti.

Principi della reazione: La sulfanilammide viene diazotata dal nitrito in soluzione acida.

Il sale di diazonio viene accoppiato con naftiletilendiammina per formare un colorante rosso intenso.

Il cromo (VI) e il ferro (III) sopra i 3 mg/l simulano concentrazioni più elevate di nitriti. Il cloro interferisce anche in piccole quantità.

Questo metodo può essere utilizzato per l'analisi di acque di mare.

- Kit analitico ad alta sensibilità per la determinazione dei nitriti secondo DIN EN 26 777

Intervallo e graduazione: 0,0 - 0,005 - 0,010 - 0,015 - 0,02- 0,03 - 0,04 - 0,06 - 0,08 - 0,10 mg/l NO₂-.

- Conservabilità: almeno 2 anni

Codice Articolo: 23.2692.88

Breve descrizione del prodotto:

Kit analitico VISOCOLOR HE Nitriti, 150 Test MACHEREY-NAGEL

	Codice	VARIANTI Articolo
	<u>23.2690.88</u>	VISOCOLOR HE Fosfato (DEV), 100Test (CM0920080) MACHEREY-NAGEL

	Codice	VARIANTI Articolo
	<u>23.2693.88</u>	VISOCOLOR HE pH 4-10, 500Test (CM0920074) MACHEREY-NAGEL
	<u>23.2694.88</u>	VISOCOLOR HE Rame, 150Test (CM0920050) MACHEREY-NAGEL
	<u>23.2800.88</u>	VISOCOLOR HE Acidità AC7, 200Test (CM0915006) MACHEREY-NAGEL
	<u>23.2812.88</u>	VISOCOLOR HE Durezza totale H2, 200Test (CM0915002) MACHEREY-NAGEL
	<u>23.2806.88</u>	VISOCOLOR HE Durezza Carbonatica C20 200 Test (CM0915003) MACHEREY-NAGEL
	<u>23.2810.88</u>	VISOCOLOR HE Cloruro CL500, 300Test (CM0915004) MACHEREY-NAGEL
	<u>23.2814.88</u>	VISOCOLOR HE Durezza totale H20F, 200 Test (CM0915005) MACHEREY-NAGEL
	<u>23.2804.88</u>	VISOCOLOR HE Alcalinità AL7, 200Test (CM0915007) MACHEREY-NAGEL
	<u>23.2820.88</u>	VISOCOLOR HE Solfiti SU 100, 100Test (CM0915008) MACHEREY-NAGEL
	<u>23.2818.88</u>	VISOCOLOR HE Ossigeno SA10, 100Test (CM0915009) MACHEREY-NAGEL
	<u>23.2808.88</u>	VISOCOLOR HE Calcio CA20, 200Test (CM0915010) MACHEREY-NAGEL
	<u>23.2685.88</u>	VISOCOLOR HE Ammonio, 110Test (CM0920006) MACHEREY-NAGEL

	Codice	VARIANTI Articolo
	<u>23.2687.88</u>	VISOCOLOR HE Cloro, 160Test (CM0920015) MACHEREY-NAGEL
	<u>23.2686.88</u>	VISOCOLOR HE Cianuri, 55Test (CM0920028) MACHEREY-NAGEL
	<u>23.2688.88</u>	VISOCOLOR HE Ferro, 300Test (CM0920040) MACHEREY-NAGEL
	<u>23.2691.88</u>	VISOCOLOR HE Manganese, 100Test (CM0920055) MACHEREY-NAGEL
	<u>23.2689.88</u>	VISOCOLOR HE Fosfato, 300Test (CM0920082) MACHEREY-NAGEL
	<u>23.2695.88</u>	VISOCOLOR HE Silicio/Silice, 120Test (CM0920087) MACHEREY-NAGEL